

Demountable Partition Systems

Product Catalog

About Us

Dline Profiles has long been committed to providing architects, designers, and contractors with quality architectural and glazing hardware, Dline is among the pioneering brands for Architectural Products and Services for commercial interior spaces. Our products are essential elements for modern, beautiful and functional workspace environments. We assist Architects and Designers by providing a wide range of solutions for each individual project.

Dline Profiles make 'Demountable Glass Partition Systems' have a modular design which makes it easy to install and if necessary re-work or move the partition. To give a consistent and finished look to the space Dline Profiles also provides aluminium skirting, interior accessories like corner guards, hat profiles, step nose, levelling profiles and also solid and glass door hardware which complement our movable partition systems to provide a complete consistent system. Besides our existing systems we continuously research the

The demountable glass partition systems by Dline are widely used for optimisation and compartmentalisation of workspace across various professional fields such as - Corporate Offices, Banks, Research Laboratories, Educational Universities, Building Entrance Systems, Industrial Manufacturing Facilities, Conference/Convention Halls, Hospitals and Clinics. Besides these professional applications our products have also been applied in modern /smart home designs.



APPLICATION

Index

16 x 45mm Slim Partition	04
25 x 25 Slim Partition	05
Sliding & Folding 50mm	06
45 Series Profile	08
SLIM LINE 45 Series	09
45/16mm series hardware	10
Hardware	12
Profile ex	14
We Are Happy With	15


16x45mm Slimline Partition




16x45mm Slimline

The Fine Glaze demountable partition system offers a seamless, almost borderless look on either side of the glazing. This system is most feasible for a low budget application.


- Section Variants (height x width): 25x25mm | 40x25mm
- Matt Silver & Matt Black anodised finish available, other finishes available on request
- Glass supported : 10 and 12mm thickness
- Single glazing system
- Acoustical Insulation: 32 dB
- Stable up to a height of 3000mm
- Curved partition is available



Fine Glaze Fix



Fine Glaze Fix



Fine Glaze Folding



90 L Connector



T Connector



I Glass to Glass



K Type Gasket



08 Gasket



Clear VHB Tape



DL-I-10/12mm



DL-L-10/12mm



DL-T-10/12mm

25x45 Slim Partition

The Slim Glaze demountable partition system is the industry standard and most widely used system. Slim Glaze provides a modern and sleek aesthetic and can also accommodate a variety of door options. It is possible to fabricate a grid glass partition with intermediate members.


- Section Variants (height x width): 16x25mm | 25x45mm
- Matt Silver & Matt Black anodised finish available, other finishes available on request
- Glass Supported : 8, 10 and 12mm thickness
- Single Glazing System
- Acoustical Insulation: 32 dB
- Stable up to a height of 3000mm
- Available - Grid Partition, Curved Partition and Brooklyn System




Slim Glaze Folding




Slim Glaze Fix




Slim Glaze Rebat




Slim Glaze Cap




Slim Glaze Door Fix




Slim Block Fix



Slim Block M/F



Slim Glaze 25x17



Slim Glaze 25x16



02 Gasket




04 Gasket



05 Gasket

25x45mm Slimline Partition






Sliding Folding 50MM


DL16 is the new industry standard in sleek glass partition systems with a complete fixed glass and door solution using the 16x45mm DL16 profile array.

Telescopic and Synchronous sliding doors are our latest series being offered using the DL16 profile system.


- Section Variants (height x width): 16x45mm
- Matt Silver & Matt Black Anodised Finish available, other finishes available on request
- Glass Supported : 8 and 10 mm thickness
- Single Glazing System
- Acoustical Insulation: 32 dB
- Stable up to a height of 2700mm
- Available - Grid Partition, Curved Partition and Brooklyn System




DL16 Glaze Folding




DL16 Glaze Fix




Slim Glaze Rebat




DL16 Glaze Cap




DL16 Block Fix




DL16 Block Folding



DL16 10mm




DL16 12mm



DL16 45mm Divider



02 Gasket



04 Gasket



05 Gasket

25x80 Series Profile

The Ultra Glaze demountable partition system offers a bold, strong look designed to nullify any undulations that occur in adjacent gypsum partition. These gypsum partitions are of 75mm width as an industry standard and tend to never be straight edged which steals from the aesthetics of the partition system.

Section Variants (height x width): 25x80mm

Matt Silver & Matt Black Anodised Finish available, other finishes available on request


Glass Supported : 8, 10 and 12mm thickness

Single Glazing System

Acoustical Insulation: 32 dB

Stable up to a height of 3000mm


Available - Grid Partition and Brooklyn System




Ultra Glaze Fix



Ultra Glaze Cap



Ultra Glaze Folding



DLGP Rebate




Glass Pivot Hinges




Overhead Door Closer



Bottom Lock



Ultra Brooklyn M/F



Ultra Brooklyn Fix



02 Gasket



04 Gasket



05 Gasket







25x100 Series Profile

The Wide Glaze demountable partition system offers the best strength and sturdiness and is to be used when glazing height breaches 3000 mm or if a heavy look and rigid structure is desired.


- Section Variants (height x width): 25x100mm
- Matt Silver & Matt Black Anodised Finish available, other finishes available on request
- Glass Supported : 8, 10 and 12mm thickness
- Single Glazing System
- Acoustical Insulation: 32 dB
- Stable up to a height of 3000mm




Wide Single Glaze Fix




Wide Single Glaze Folding




VWGP Rebate




Wide Single Technical Panel



Wide Single Block M/F



Wide Single Block Fix



Aluminium I Profile



Aluminium L Profile



Aluminium T Profile



02 Gasket




04 Gasket



05 Gasket

The Wide Double Glaze demountable partition system offers the same strength and sturdiness as the Wide Glaze system. Wide Double Glaze consists of dual tracks for double glazing with a 75mm air gap in between which provides high acoustical insulation and climate control. Grid pattern glass partition using our wide double glaze profile array is Vantage's most premium solution.


- Section Variants (height x width): 25x100mm
- Matt Silver & Matt Black Anodised Finish available, other finishes available on request
- Glass Supported : 10 and 12mm thickness
- Double Glazing System
- Acoustical Insulation: 40 dB
- Stable up to a height of 3000mm




Wide Double Glaze Fix



Wide Double Glaze Folding



Wide Double Glaze Door Frame



Aluminium I Profile



Aluminium L Profile



Aluminium T Profile



Clear VHB Tape



K-Type Gasket



08 Gasket



02 Gasket



04 Gasket






05 Gasket





Dline Sliding Folding partition system is designed to divide a large space into compartments with the flexibility of being able to quickly re-arrange the partition so as to merge the divided compartments back into one large space.

- Frameless and Stile Shutter Options available
- Glass Supported : 10mm thickness
- Single Glazed Sliding Folding System
- Maximum Single Shutter Leaf: 3000mm(h) x 900mm(w)




The Technical Panel is a box type section which is used adjacent to cabin/lobby doors to accommodate biometric entry control, switches, keypads etc. and the wiring for the same without any interference with the look of the partition system. Can accommodate switch boards up to 300mm in width.


Section Variants: 50x100mm | 100x100mm | 100x200mm | 100x300mm

Matt Silver & Matt Black Anodised Finish Available, other finishes available on request


Applicable up to a height of 3000mm




Technical Power Panel 100x50mm




Technical Power Panel 100x100mm



Technical Power Panel 100x200mm



Technical Power Panel 100x300mm





HARDWARE & ACCESSORIES

STAINLESS STEEL FLUSH HINGES

DL - B4



Material : Stainless Steel SUS304
Type : Ball Bearing Hinges
Size : 5x3x3mm/4x3x3mm
Finish : Stainless Steel/Black/Gold Color

SADDLE PLATE

DL - A3



Suitable for 10mm/12mm Glass
(Plate for Mounting Door Closer on Glass)
Material : Aluminium
Finish : Silver Anodized/Black/Gold Color

STUDIO GLASS DOOR LOCK

DL - A1



Suitable for 10mm/12mm Glass
Material : Alloy
Finish : Silver/Black Anodized Color

CONCEAL DOOR CLOSER



Maximum Door Weight : 80kg
Maximum Door Size : 900mm x 2400mm
Material : Aluminium
Finish : Silver Anodized/Black Color

GLASS DOOR HINGES

DL - A4



Maximum Door Weight : 50kg/Pair
Maximum Door Size : 900mm x 2400mm
Glass Thickness : 10mm / 12mm
Material : Aluminium
Finish : Silver Anodized/Black Color

OVERHEAD DOOR CLOSER

DL - A2



Maximum Door Weight : 80kg
Maximum Door Size : 900mm x 2400mm
Glass Thickness : 10mm / 12mm
Material : Aluminium
Finish : Silver Anodized/Black/Gold Color

GLASS PIVOT HINGES



Maximum Door Weight : 80kg/Pair
Maximum Door Size : 900mm x 2400mm
Glass Thickness : 10mm / 12mm
Material : Alloy
Finish : Silver Anodized/Black Color

OPEN DOOR CLOSER



Maximum Door Weight : 50kg
Maximum Door Size : 900mm x 2400mm
Material : Alloy
Finish : Silver/Black Color

C TYPE HANDLE

DL - B5



Material : Stainless Steel SUS304
Finish : Stainless Steel/Black/Gold Color
Length : Ø 25mm x 350/450mm

NARROW STILE DEAD BOLT

DL -



Close Body Dead Bolt for Aluminium Door/
Wooden Double Throw Dead Bolt
Material : Stainless Steel
Size : 35mm
Finish : Satin Finish/Black Color

NARROW STILE MORTISE HANDLE

DL - B7



Material : Stainless Steel SUS304
Size : Ø 19mm
Finish : Satin/Black/Gold Color

CYLINDER

DL -



One Side Key One Side Knob with Ultra
Key Brass 60mm/70mm/120mm
Finish : SS Finish/Black Color

PULL HANDLE

DL -



Material : Stainless Steel SUS304
Size : Ø 25mm x 350/450/650mm
Finish : Satin/Black/Gold Color

BOTTOM LOCK

DL -



Glass Thickness : 10mm/12mm
Material : Aluminium
Finish : Silver Anodized/Black/Gold Color

NARROW STILE MORTISE LOCK

DL - B6



Narrow Stile Lock Body for Aluminium Door
with Latch and Double Throw Dead Bolt
Material : Stainless Steel
Size : 35mm x 85mm
Finish : Satin Finish/Black Color

DOOR HANDLE WITH LOCK

DL -




Glass Thickness : 10mm/12mm
Material : Alloy
Finish : Silver/Black/Gold Color

HARDWARE & ACCESSORIES

SLIDING TRACK

DL - XX



Use for VTSS/VSSS - 011/02/03
Size : 2500/3700mm
Finish : Silver/Black/Gold Color

V16 SLIDING DOOR HANDLE

DL - XX



Product : Sliding Door Handle with Lock
Material : Stainless Steel/Aluminium
Finish : Silver/Black/Gold Color

SLIDING ROLLER

DL - XX



Roller for Stile Door
Door Weight upto 60kgs / Set
Finish : Silver Nickle
Maximum Door Size : 600/900mm

V16 SLIDING DOOR HANDLE

DL - XX



Product : Sliding Door Handle
Material : Aluminium
Finish : Silver/Black/Gold Color

SLIDING ROLLER

DL - XX



Roller for Wooden Door/Stile
Door : 35x65x45x75mm
Door Weight upto 60kgs / Set
Finish : Nickle
Maximum Door Size : 600/900mm

V16 SLIDING DOOR LOCK


DL - XX



Glass Thickness : 8mm/6mm
Product : Sliding Door Lock
Finish : Silver/Black/Gold Color

SLIDING COVER

DL - XX



Product : Sliding Top Track Cover
Size : 2500/3700mm
Finish : Silver/Black/Gold Color

PIVOT HINGE SET-SATIN

DL - XX



Suitable for V-16 Stile Door
Use Top & Bottom
Material : Aluminium/Stainless Steel

TELESCOPIC SLIDING SYSTEM


DL - XX



Product : 1 Fix 2 Door
Content : 1 Set
Capacity : 120kgs/2 Door
Finish : Nickle

END CAP

DL - XX



Can be Used with all Types of Corner
Height : 100mm
Material : ABS

TELESCOPIC SLIDING SYSTEM


DL - XX



Product : 1 Fix 3 Door
Content : 1 Set
Capacity : 120kgs/3 Door
Finish : Nickle

ALUMINIUM SKIRTING


DL - XX



Length : 3000mm
Height : 50mm/75mm/100mm
Material : Aluminium
Finish : Silver/Black Anodized/Other

SYNCHRO SLIDING SYSTEM


DL - XX



Product : Synchro Sliding Door
Content : 1 Set
Capacity : 120kgs
Finish : Black Color

ALUMINIUM SKIRTING

DL - XX



Length : 60mm/80mm
Height : 100mm
Finish : Silver/Black Anodized

CONNECTOR


DL - XX



Product : Door Connector
Material : Alloy
Finish : Silver Color

ALUMINIUM I PROFILE

DL - XX



Suitable for Joining Two Glasses (180°)
Transparent Type to be use on Profile for Fixing Glasses
Length : 3000mm
Finish : Silver/Black Anodized

HARDWARE & ACCESSORIES

ALUMINIUM T PROFILE

DL - XX



Suitable for Joining Three Meeting at a Common Point, Transparent Type to be use on Profile for Fixing Glasses
Length : 3000mm
Finish : Silver/Black Anoodized

ALUMINIUM L CORNER

DL - XX



Provide Protection to Edge of Wall Corner. Economical Option for Edge of Wall Corner Protection
Length : 3000mm
Width : 12x12 / 15x15 / 19x19 / 25x25 / 38x38mm
Finish : Silver/Black Anoodized

ALUMINIUM L PROFILE


DL - XX



Suitable for L Joining at a Common Point (90°), Transparent Type to be use on Profile for Fixing Glasses
Length : 3000mm
Finish : Silver/Black Anoodized

ALUMINIUM CARPET EDGE PROFILE

DL - XX



Length : 3000mm
Size : 30mm x 4.5mm
Finish : Silver/Black Anoodized

ALUMINIUM HAT PROFILE

DL - XX



Hat Aluminium Profile are Developed to Make Wall Design Visually Attractive Ideal for Junction of 2 Different Materials
Length : 3000mm
Width : 5mm/8mm/10mm
Finish : Silver/Black Anoodized

STAIR NOSE


DL - XX



Aluminium Profile
Length : 3000mm
Size : 24mm/9mm
Finish : Silver/Black Color

ALUMINIUM CARPET PROFILE

DL - XX



Variable Double Sided Profile Which Bend as per Height of the Flooring on Either Side
Length : 3000mm
Width : 28mm
Finish : Silver/Black Anoodized

CLEAR VHB TAPE

VHB - TAPE



Material : 6mm VHB both side Gum
Length : 8 meter
Width : 6mm
Finish : Clear

Contact Us

3rd Main, Hoysala Nagar, Ramamurthy Nagar
Bangalore - 560016

P : +91 9900 322862

E : contact@dlineprofiles.com

W : www.dlineprofiles.com